



# Tree Inventory Report

---

Dublin City Council

14 July 2020



Report created by ludovic.beaumont



Dublin City Council  
Comhairle Cathrach Bhaile Átha Cliath

Unique ID: 01E9  
*Aesculus hippocastanum*

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	09-Jul-2020
Next Inspection	09-Jan-2021
Trunk Type	Single
Age	Mature (Within final third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Area	Griffith Park
Sub Area	
Stem Diameter	61cm-65cm (@1.5m)
Spread	9-12m (Diameter)
Height	10 to 15m
Category	U - Trees with serious defect/decline
Committee	
Site	Open Space

Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum

Maintenance	
-------------	--

Requirements	
Date Added	16-Jul-2020
Priority	2. Urgent (Within 7 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Fungi - Limb Decay

Considerations	
Consideration	t. Canker/Lesions - Other

Considerations	
Consideration	t. Cavity/Decay Stem

Considerations	
Consideration	t. Girdling roots



Comment	
Surveyor	ludovic.beaumont
Comment Date	09-Jul-2020
Comment	lifting bark. bleeding cankers disease suspected. 2 large cavities where trunk meets large limbs both with white rot decay. Fungi Auricularia curricula-judae growing on dying main trunk.



Unique ID: 01EA  
*Aesculus hippocastanum*

---

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	09-Jul-2020
Next Inspection	09-Jan-2021
Trunk Type	Single
Age	Mature (Within final third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Area	Griffith Park
Sub Area	
Stem Diameter	61cm-65cm (@1.5m)
Spread	9-12m (Diameter)
Height	10 to 15m
Category	U - Trees with serious defect/decline
Committee	
Site	Open Space

Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum

Maintenance	
-------------	--

Requirements	
Date Added	09-Jul-2020
Priority	3. Serious (Within 6 months)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Cavity/Decay Stem

Considerations	
Consideration	t. Dieback/Poor foliage


Considerations	
Consideration	t. Canker/Lesions - Other

Comment	
Surveyor	ludovic.beaumont
Comment Date	09-Jul-2020
Comment	Large cavities on trunk and previous branch failures. badly hit by Bleeding cankers

Unique ID: 01EB

*Aesculus hippocastanum*

Overview Photos





Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	09-Jul-2020
Next Inspection	09-Jan-2021
Trunk Type	Single
Age	Mature (Within final third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Area	Griffith Park
Sub Area	
Stem Diameter	41cm-45cm (@1.5m)
Spread	9-12m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Open Space

Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum

Maintenance	
-------------	--

Requirements	
Date Added	09-Jul-2020
Priority	2. Urgent (Within 7 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Canker/Lesions - Other

Considerations	
Consideration	t. Dieback/Poor foliage

Considerations	
Consideration	t. Cavity/Decay Stem





Considerations	
Consideration	t. Crack on Stem

Considerations	
Consideration	t. Dead wood

Comment	
Surveyor	ludovic.beaumont
Comment Date	09-Jul-2020
Comment	Tree is dying badly hit by Bleeding Cankers Disease. upper canopy is dying.



Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	09-Jul-2020
Next Inspection	09-Jan-2021
Trunk Type	Single
Age	Mature (Within final third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Area	Griffith Park
Sub Area	
Stem Diameter	71cm-75cm (@1.5m)
Spread	12-15m (Diameter)
Height	10 to 15m
Category	U - Trees with serious defect/decline
Committee	
Site	Open Space

Species	
Count	1
Vegetation Type	Broadleaf
Species	Acer platanoides

Maintenance	
-------------	--

Requirements	
Date Added	09-Jul-2020
Priority	2. Urgent (Within 7 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Crack on Limb

Considerations	
Consideration	t. Crack on Stem

Considerations	
Consideration	t. Cavity/Decay Limb

Comment	
Surveyor	ludovic.beaumont
Comment Date	09-Jul-2020
Comment	50 cm long crack at compression fork. previous branch failures.

Unique ID: 01ED

Acer platanoides 'Emerald Queen'

### Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	09-Jul-2020
Next Inspection	09-Jan-2021
Trunk Type	Single
Age	Mature (Within final third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Area	Griffith Park
Sub Area	
Stem Diameter	46cm-50cm (@1.5m)
Spread	6-9m (Diameter)
Height	10 to 15m
Category	U - Trees with serious defect/decline
Committee	
Site	Open Space

Species	
Count	1
Vegetation Type	Broadleaf
Species	Acer platanoides 'Emerald Queen'



Requirements	
Date Added	09-Jul-2020
Priority	3. Serious (Within 6 months)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Cavity/Decay Stem



Unique ID: 01EE  
Aesculus hippocastanum

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	09-Jul-2020
Next Inspection	09-Jan-2021
Trunk Type	Single
Age	Mature (Within final third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Area	Griffith Park
Sub Area	
Stem Diameter	55cm-60cm (@1.5m)
Spread	9-12m (Diameter)
Height	10 to 15m
Category	U - Trees with serious defect/decline
Committee	
Site	Open Space



Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum

Requirements	
Date Added	09-Jul-2020
Priority	3. Serious (Within 6 months)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Cavity/Decay Stem

Considerations	
Consideration	t. Canker/Lesions - Other


Considerations	
Consideration	t. Crack on Stem

Comment	
Surveyor	ludovic.beaumont
Comment Date	09-Jul-2020
Comment	Bleeding cankers disease

Unique ID: 01EF  
*Aesculus hippocastanum*

---

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	09-Jul-2020
Next Inspection	09-Jan-2021
Trunk Type	Single
Age	Mature (Within final third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Area	Griffith Park
Sub Area	
Stem Diameter	76cm-80cm (@1.5m)
Spread	9-12m (Diameter)
Height	10 to 15m
Category	U - Trees with serious defect/decline
Committee	
Site	Open Space

Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum

Requirements	
Date Added	09-Jul-2020
Priority	2. Urgent (Within 7 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Canker/Lesions - Other

Considerations	
Consideration	t. Cavity/Decay Stem



Considerations	
Consideration	t. Crack on Limb

Considerations	
Consideration	t. Dead wood

Comment	
Surveyor	ludovic.beaumont
Comment Date	09-Jul-2020
Comment	Bleeding cankers Disease

Unique ID: 01EG  
**Aesculus hippocastanum**

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	09-Jul-2020
Next Inspection	09-Jan-2021
Trunk Type	Single
Age	Mature (Within final third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Area	Griffith Park
Sub Area	
Stem Diameter	71cm-75cm (@1.5m)
Spread	9-12m (Diameter)
Height	10 to 15m
Category	U - Trees with serious defect/decline
Committee	
Site	Open Space

Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum

Requirements	
Date Added	09-Jul-2020
Priority	2. Urgent (Within 7 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Canker/Lesions - Other

Considerations	
Consideration	t. Cavity/Decay Stem

Considerations	
Consideration	t. Crack on Stem

Comment	
Surveyor	ludovic.beaumont
Comment Date	09-Jul-2020
Comment	Bleeding cankers disease. large limb failure.



Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	24-Aug-2016
Trunk Type	Single
Age	Mature (Within final third of lifespan)
Condition	Dead
Proximity	
Street	Griffith Park
Area	Central Area (Parks Operations)
Sub Area	
Stem Diameter	31cm-35cm (@1.5m)
Spread	9-12m (Diameter)
Height	15 to 20m
Risk	Zone 2. Medium Risk - Inspect within 5 years
Category	U - Trees with serious defect/decline
Committee	
Site	Open Space




Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum


Requirements	
Date Added	09-Jul-2020
Priority	2. Urgent (Within 7 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Unique ID: 01EM  
*Aesculus hippocastanum*

---

Overview Photos





Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	14-Jul-2020
Next Inspection	09-Jan-2021
Trunk Type	Single
Age	Mature (Within final third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Area	Griffith Park
Sub Area	
Stem Diameter	81cm-85cm (@1.5m)
Spread	9-12m (Diameter)
Height	20 to 25m
Category	U - Trees with serious defect/decline
Committee	
Site	Open Space

Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum

Requirements	
Date Added	14-Jul-2020
Priority	3. Serious (Within 6 months)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Cavity/Decay Stem

Considerations	
Consideration	t. Crack on Stem

Considerations	
Consideration	t. Canker/Lesions - Other




Comment	
Surveyor	ludovic.beaumont
Comment Date	14-Jul-2020
Comment	Bleeding Cankers disease. 2 large limbs already pruned back.



**Unique ID: 01EN**  
**Prunus serrulata Kanzan**

---

Overview Photos





Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	14-Jul-2020
Next Inspection	09-Jan-2021
Trunk Type	Single
Age	Mature (Within final third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Area	Griffith Park
Sub Area	
Stem Diameter	61cm-65cm (@1.5m)
Spread	6-9m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Open Space

Species	
Count	1
Vegetation Type	Broadleaf
Species	Prunus serrulata Kanzan

Requirements	
Date Added	14-Jul-2020
Priority	3. Serious (Within 6 months)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Dieback/Poor foliage

Considerations	
Consideration	t. Cavity/Decay Stem

Considerations	
Consideration	t. Dead wood

Comment	
Surveyor	Iudovic.beaumont
Comment Date	14-Jul-2020
Comment	Tree is in decline.

Unique ID: 01EP  
Aesculus hippocastanum

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	14-Jul-2020
Next Inspection	14-Jan-2021
Trunk Type	Single
Age	Ancient (Ruin)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Area	Griffith Park
Sub Area	
Stem Diameter	101-105
Spread	6-9m (Diameter)
Height	05 to 10m
Category	A - High Quality
Committee	
Site	Open Space

Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum

Requirements	
Date Added	14-Jul-2020
Priority	3. Serious (Within 6 months)
Requirement Type	Monolith
Requirement Option	
Requirement Info	


Considerations	
Consideration	t. Cavity/Decay Stem

Comment	
Surveyor	ludovic.beaumont
Comment Date	14-Jul-2020
Comment	Reduce limbs to the trunk or close to the trunk

Unique ID: 01EQ  
*Aesculus hippocastanum*

---

Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	14-Jul-2020
Next Inspection	14-Jan-2021
Trunk Type	Single
Age	Middle Aged (Within second third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Area	Griffith Park
Sub Area	
Stem Diameter	41cm-45cm (@1.5m)
Spread	6-9m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Open Space

Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum

Requirements	
Date Added	14-Jul-2020
Priority	3. Serious (Within 6 months)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Cavity/Decay Stem

Considerations	
Consideration	t. Canker/Lesions - Other


Comment	
Surveyor	Iudovic.beaumont
Comment Date	14-Jul-2020
Comment	Suppressed by London plane. large limb failure. Bleeding cankers disease.



Unique ID: 01ES

Sorbus aria

### Overview Photos



Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	14-Jul-2020
Next Inspection	14-Jan-2021
Trunk Type	Single
Age	Mature (Within final third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Area	Griffith Park
Sub Area	
Stem Diameter	51cm-55cm (@1.5m)
Spread	9-12m (Diameter)
Height	10 to 15m
Category	U - Trees with serious defect/decline
Committee	
Site	Open Space

Species	
Count	1
Vegetation Type	Broadleaf
Species	Sorbus aria

### Maintenance

Requirements	
Date Added	14-Jul-2020
Priority	2. Urgent (Within 7 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Cavity/Decay Stem

Considerations	
Consideration	t. Crack on Stem

Considerations	
Consideration	t. Unstable rootplate

Considerations	
Consideration	t. Compression fork with included bark

Unique ID: 01ET  
Prunus avium 'Plena'

Overview Photos



Inventory	
Surveyor	ludovic.beaumont
Inspection Date	14-Jul-2020
Next Inspection	14-Jan-2021
Trunk Type	Single
Age	Middle Aged (Within second third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Area	Griffith Park
Sub Area	
Stem Diameter	41cm-45cm (@1.5m)
Spread	6-9m (Diameter)
Height	05 to 10m
Category	U - Trees with serious defect/decline
Committee	
Site	Open Space

Species	
Count	1
Vegetation Type	Broadleaf
Species	Prunus avium 'Plena'

Requirements	
Date Added	14-Jul-2020
Priority	3. Serious (Within 6 months)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Cavity/Decay Stem

Considerations	
Consideration	t. Cavity/Decay Limb

Considerations	
Consideration	t. Dead wood



Considerations	
Consideration	t. Dieback/Poor foliage



Unique ID: 01EU  
*Aesculus hippocastanum*

---

Overview Photos





Inventory	
Surveyor	Iudovic.beaumont
Inspection Date	14-Jul-2020
Next Inspection	09-Jan-2021
Trunk Type	Single
Age	Mature (Within final third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Area	Griffith Park
Sub Area	
Stem Diameter	106-110
Spread	9-12m (Diameter)
Height	20 to 25m
Category	U - Trees with serious defect/decline
Committee	
Site	Open Space

Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum

Requirements	
Date Added	14-Jul-2020
Priority	2. Urgent (Within 7 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Epicormic growth (Under Stress)

Considerations	
Consideration	t. Cavity/Decay Stem


Considerations	
Consideration	t. Altered Exposure

Considerations	
Consideration	t. Canker/Lesions - Other

Comment	
Surveyor	ludovic.beaumont
Comment Date	14-Jul-2020
Comment	Very tall tree with crown opened since failure of one large limb. large talk fragile epicormic growth. bleeding cankers and probably presence of leaf miners.

Unique ID: 01EV  
Aesculus hippocastanum

Overview Photos



Inventory	
Surveyor	ludovic.beaumont
Inspection Date	14-Jul-2020
Next Inspection	14-Jan-2021
Trunk Type	Single
Age	Mature (Within final third of lifespan)
Condition	Poor (Low Vitality/Extensive Defects)
Proximity	
Area	Griffith Park
Sub Area	
Stem Diameter	81cm-85cm (@1.5m)
Spread	9-12m (Diameter)
Height	20 to 25m
Category	U - Trees with serious defect/decline
Committee	
Site	Open Space

Species	
Count	1
Vegetation Type	Broadleaf
Species	Aesculus hippocastanum

Requirements	
Date Added	14-Jul-2020
Priority	2. Urgent (Within 7 working days)
Requirement Type	Tree Removal
Requirement Option	
Requirement Info	

Considerations	
Consideration	t. Canker/Lesions - Other

Considerations	
Consideration	t. Crack on Limb

Considerations	
Consideration	t. Altered Exposure

Considerations	
Consideration	t. Crack on Stem

Comment	
Surveyor	ludovic.beaumont
Comment Date	14-Jul-2020
Comment	Badly hit by bleeding cankers disease.. large lateral crack in one of the main limb.